
North America's Leader in Hazardous Material Information Management
1905 Aston Avenue, Carlsbad, CA 92008
Phone (800) 451-8346 Fax (760) 602-8888

MSDS PRODUCT INFORMATION

Date: 10/07/2005
To: MSDS Requester
From: 3E Company
Subject: The MSDS you have requested

☐ MSDS NOT REQUIRED

In response to your request for a Material Safety Data Sheet, according to the OSHA Hazard Communication Standard (Right-to-Know), the following item is an article. Articles are defined in 29 CFR 1910.1200(c). Products such as Drugs, cosmetics, food, or alcoholic beverages, wood or wood products, and tobacco or tobacco products, as defined in 29 CFR 1910.1200(b)(6), are exempt from the Hazard Communication Standard. Items that are considered articles, as defined in 29 CFR 1910.1200(c), are also exempt from this Standard. Therefore, the manufacturer is not required to provide an MSDS for this product.

☐ MSDS DISCONTINUED PRODUCT

In response to your request for a Material Safety Data Sheet, the manufacturer has discontinued the product listed below. The MSDS Attached is the most current version, or an MSDS is no longer available.

☐ MSDS BEST COPY AVAILABLE

The MSDS attached is the best copy available from the manufacturer.

☒ MANUFACTURER NO LONGER IN BUSINESS

In response to your request for a Material Safety Data Sheet, a current MSDS could not be obtained for this product. It has been determined that the manufacturer listed below is no longer in business. A current address and phone number could not be located.

Manufacturer: Gamma Laboratories, Inc.
Product Name: Roll On Ceiling & Wall Texture

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

Form Approved
OMB No. 44-R1387

MATERIAL SAFETY DATA SHEET

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

MANUFACTURER'S NAME GAMMA LABORATORIES INC.		EMERGENCY TELEPHONE NO. (818) 365-7500
ADDRESS (Number, Street, City, State, and ZIP Code) 840 Arroyo Avenue San Fernando, CA. 91340		
CHEMICAL NAME AND SYNONYMS PERLITE		TRADE NAME AND SYNONYMS ROLL ON CEILING & WALL TEXTURE
CHEMICAL FAMILY Volcanic Silica	FORMULA A sodium potassium aluminum silicate of variable composition.	

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS			BASE METAL		
CATALYST			ALLOYS		
VEHICLE			METALLIC COATINGS		
SOLVENTS			FILLER METAL PLUS COATING OR CORE FLUX		
ADDITIVES			OTHERS		
OTHERS					

HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES	%	TLV (Units)
Quartz less than 2.5%		
Cristobalite less than 1.0%		

SECTION III - PHYSICAL DATA

BOILING POINT (°F.)		SPECIFIC GRAVITY (H ₂ O=1)	.1 - .4
VAPOR PRESSURE (mm Hg.)		PERCENT, VOLATILE BY VOLUME (%)	
VAPOR DENSITY (AIR=1)		EVAPORATION RATE (_____ =1)	
SOLUBILITY IN WATER	Moderate		
APPEARANCE AND ODOR White to off-white. No odor			

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used) Fire retardant	FLAMMABLE LIMITS	Lel	Uel
EXTINGUISHING MEDIA			
SPECIAL FIRE FIGHTING PROCEDURES			
UNUSUAL FIRE AND EXPLOSION HAZARDS			

SECTION V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE

2.24 Mg/M³

Respirable dust fraction (Inert nuisance dust).

EFFECTS OF OVEREXPOSURE

As with any inert nuisance dust, excessive inhalation over long periods may be harmful, i.e., cause pneumoconiosis.

EMERGENCY AND FIRST AID PROCEDURES

Remove to dust free area. Avoid excessive dust inhalation.

SECTION VI - REACTIVITY DATA

STABILITY

UNSTABLE

CONDITIONS TO AVOID

STABLE

XX

INCOMPATIBILITY (Materials to avoid)

N/A

HAZARDOUS DECOMPOSITION PRODUCTS

N/A

HAZARDOUS
POLYMERIZATION

MAY OCCUR

CONDITIONS TO AVOID

WILL NOT OCCUR

XX

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

No special precautions. Vacuum clean or sprinkle with floor sweep compound.

Usual good housekeeping practices will suffice.

WASTE DISPOSAL METHOD

No special methods. Maintain usual good housekeeping methods as with any nuisance dust.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type)

Niosh approved respirators for protection against dust.

VENTILATION

LOCAL EXHAUST

SPECIAL

Advisable on prolonged contact

None

Normal

MECHANICAL (General)

OTHER

PROTECTIVE GLOVES

Unnecessary

EYE PROTECTION If dusting is excessive, use Niosh approved goggles.

OTHER PROTECTIVE EQUIPMENT

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Handle to avoid creating dust.

OTHER PRECAUTIONS

Stay current with State & Federal regulations. Consult with State Osha officials regarding changes.